With respect to the use of the term "thickener" Applicant respectfully submits that this term is an accepted term in the art as exemplified by US Patent 6,197,318 which is of record in this case. The '318 patent utilizes this terminology in column 2, line 19, column 10, line 4, column 9, line 40, and column 27, line 41. Still further, the word "thicken" has common meaning in the dictionaries as shown in the attached copies. Applicant, therefore, respectfully submits that this term has meaning in the English language and in the art as exemplified by the '318 reference. For this reason, the rejection is respectfully traversed. Applicant has, however, throughout the specification corrected the spelling to read "thicken" which is the correct English spelling.

Next, Applicant has noted that the Examiner has referred to the terms "dropping", "dropping from hair" or "dripping from hair". Changes have been made in order to comply with the Examiner's request.

Paragraph Two

In paragraph number two the Examiner has noted certain informalities in the specification. These have been corrected.

Claim Objections

Claim 79 has been corrected as suggested.

Claim Rejections - 35 USC § 112

In paragraph five, the Examiner has rejected claims 1 - 81 because the terms "complex" and "complex nucleus" lack a reasonable degree of particularity. In response, Applicant has amended all of

8/N: 09/819,605

the claims which refer to "complex nucleus" to the language "multivalent metal ion". Since this amendment has been made, certain claims, such as claim 4, have been deleted. Next, the term "complex" has been amended to refer to a complex compound which is in conformance with standard terminology found in the dictionary, such as the McGraw-Hill Dictionary of Chemical Terms, attached hereto.

In paragraph six the Examiner has rejected claims 1 - 19 and 73 - 81 on the grounds that the term "hair dye fixative" lacks a reasonable degree of particularity and distinctness which distinguishes the entity from a "hair dye" as claimed. Applicant respectfully traverses this rejection. Applicant's specification refers to the fixative effect of the aqueous solution of aluminum chloride at page 22. Also at the top of page 24, there is reference to the fixative effect of which is separate from the hair dye. Therefore, the specification at pages 22 - 25 show that the fixative operates separately from the hair dye and has nothing to do with the hair to which the Examiner refers to, but is instead used to fix the dye in the hair.

Claim Rejections - 35 USC § 103

Dias, et al. '426

The essential difference between Applicant's invention and that of '426 is that Dias is an oxidation dye or oxidative coloring agent, (see '426, Background of the Invention, columns 1 and 2).

On the other hand, Applicant's invention relates to an acid hair dye. These two hair dyes are distinct articles in the hair dye market.

Claims 21 - 57 and 60 - 81 have been rejected as being unpatentable over Dias '426 in view of Abe '318. There are no other prior art rejections in this Office Action. Applicant respectfully traverses the above stated prior art rejections.

In a telephone call between the undersigned and the Examiner, The undersigned questions why claim 21 was rejected under prior art, while claim 20 was not. The Examiner responded that claim 20 was not understandable relying upon the rejection under 35 USC § 112. This is believed to be incorrect because if claim 20 were not understandable, then claims 21 and all other claims dependent form claim 20 would also be not understandable and, therefore, not rejectable on prior art.

Next, the Office action has indicated that claims 58 and 59 are allowable. Claims 58 and 59 depend from claim 50 which is in turn dependent from claim 44 which has also been rejected under 35 USC § 112. Claim 44 was not rejected under 35 USC § 103. On the other hand, since claims 58 and 59 are allowable, it would appear that claim 44 was clearly understandable in the first instance. For this reason, it is believed that claim 44 stands allowed at this time.

According to the Examiner, the ingredients of the present invention are are included in the oxidation hair dye of Dias et al. However, these are ingredients which can be incorporated as an

option. Basically, the hair dye of Dias et al. comprises some essential ingredients to function as a general oxidation hair dye (oxidative dye and oxidizing agent). It will be impossible to obtain the effect of the present invention under existence of essential ingredients of an oxidation hair dye, and it will also be true in the case of Dias, et al.

In Dias et al, multivalent metal is used as a catalyst for oxidative reaction. And an acid is used as only pH adjusting agent. There is no disclosure of how to use as claimed in the present invention.

Also, there is no disclosure of use of an organic solvent having quantitative and qualitative characteristics which do not allow the acid dye to form a dye complex with multivalent metal ion. Namely, formation of a dye complex occurs after application of the hair dye of the present invention. This is not disclosed in Dias et al.

As to the mixing type hair dye of the present invention wherein a mixture of two compositions is prepared before use, the present invention divides an acid dye and multivalent metal ion before mixing. On the other hand, a general oxidation hair dye (which includes the hair dye of Dias et al) divides the oxidative dye and the oxidizing agent before use. The concept of the Applicant's invention to divide into two components before use is different from that of Dias et al, or any general oxidation hair dye.

DOCKET NO.: IWA-168-USAP

The hair dye of Dias et al is an oxidation dye. It is only collection of optionally containable ingredients in oxidation hair dye that the Examiner referred to. Generally, it will be impossible to incorporate the essential ingredients of an oxidation dye (oxidative dye and oxidizing agent) into a general acid hair dye because merits of an acid hair dye will be lost. Dias et al does not disclose the concept of the present invention.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "Version with Markings to Show Changes" Made."

In view of the foregoing, it is respectfully submitted that the application is now in condition for allowance, and early action in accordance thereof is requested. In the event there is any reason why the application cannot be allowed in this current S/N: 09/819,605

DOCKET NO.: IWA-168-USAP

condition, it is respectfully requested that the Examiner contact the undersigned at the number listed below to resolve any problems by Interview or Examiner's Amendment.

Respectfully submitted,

Ronald R. Snider Reg. No. 24,962

Date: September 30, 2002

Snider & Associates Ronald R. Snider P.O. Box 27613 Washington, D.C. 20038-7613 (202) 347-2600

RRS/bam



/30/2002

DOCKET NO.: IWA-168-USAP

version with arkings to show changes made

In the Specification:

Please find attached a marked-up copy of the specification showing the amendments to be made and a new clean copy of the revised specification.

OCT - 3 2002

In the Claims:

Claims 4, 24, 49, 74, 77 and 80 have been canceled.

Claims 1, 5, 12, 20, 34, 44, 50, 61, 73, 75, 76, 78, 79, and 81 have been amended as follows:

- 1. (Amended) A hair dye fixative comprising a [complex nucleus] multivalent metal ion capable of forming a complex compound with an acid dye.
- 5. (Amended) A hair dye fixative according to Claim [4] 1 wherein a combination amount of said multivalent metal ion is 0.1 to 20 % by weight in terms of a weight of the corresponding metal salt.
- 12. (Amended) A hair dye fixative according to Claim 1 wherein said [complex nucleus] multivalent metal ion is aluminum ion.
- 20. (Amended) A hair dye comprising:
 an acid dye;

9/30/2002 DOCKET NO.: IWA-168-USAP

a [complex nucleus] multivalent metal ion capable of forming a complex compound with said acid dye; and,

an organic solvent having quantitative and qualitative characteristics which do not allow said acid dye to form a dye complex with said [complex nucleus] multivalent metal ion.

- A hair dye according to Claim 20 wherein said 34. (Amended) [complex nucleus] multivalent metal ion is aluminum ion.
- 44. (Amended) A mixing type hair dye wherein a mixture of two compositions is prepared before use and the mixture is applied to hair consisting of:
 - a first composition comprising an acid dye; and
- second composition comprising a [complex nucleus] multivalent metal ion capable of forming a complex compound with said acid dye.
- 50. (Amended) A hair dye according to Claim [49] 44 wherein a second composition comprises said multivalent metal in an amount of 0.1 to 20 % by weight in terms of a weight of the corresponding metal salt.
- 61. (Amended) A hair dye according to Claim 44 wherein said [complex nucleus] multivalent metal ion is aluminum ion.

- 8/N: 09/819,605
 - 73. (Amended) A hair dyeing method characterized by treating the hair with a hair dye fixative comprising a [complex nucleus] multivalent metal ion capable of forming a complex compound with an acid dye, and then dying a hair with an acid dye.
 - 75. (Amended) A hair dyeing method according to Claim 73 wherein said [complex nucleus] multivalent metal ion is aluminum ion.
 - 76. (Amended) A hair dyeing method characterized by dyeing a hair with an acid dye and simultaneously treating the hair with a hair dye fixative comprising a [complex nucleus] multivalent metal ion capable of forming a complex compound with said acid dye.
 - 78. (Amended) A hair dyeing method according to Claim 76 wherein said [complex nucleus] multivalent metal ion is aluminum ion.
 - 79. (Amended) A hair dyeing method characterized by [dying] dyeing a hair with an acid dye and then treating the hair with a hair dye fixative comprising a [complex nucleus] multivalent metal ion capable of forming a complex compound with said acid dye.
 - 81. (Amended) A hair dyeing method according to Claim 79 wherein said [complex nucleus] multivalent metal ion is aluminum ion.



McGraw-Hill Dictionary of CHEMICAL TERMS

Sybil P. Parker

EDITOR IN CHIEF

RECEIVED

OCT - 3 2002

TC 1700

McGraw-Hill Book Company

New York St. Louis San Francisco

Auckland Bogotá Guatemala Hamburg Lisbon London Madrid Mexico Montreal New Delhi Panama Paris San Juan São Paulo Singapore Sydney Tokyo Toronto

- combining-volumes principle The principle that when gases take part in chemical reactions the volumes of the reacting gases and those of the products (if gaseous) are in the ratio of small whole numbers, provided that all measurements are made at the same temperature and pressure. Also known as Gay-Lussac law.
- combining weight The weight of an element that chemically combines with 8 grams of oxygen or its equivalent.
- **combustion** The burning of gas, liquid, or solid, in which the fuel is oxidized, evolving heat and often light.
- combustion efficiency The ratio of heat actually developed in a combustion process to the heat that would be released if the combustion were perfect.
- combustion furnace A heating device used in the analysis of organic compounds for elements.
- combustion rate The rate of burning of any substance.
- combustion train The arrangement of apparatus for elementary organic analysis.
- combustion tube A glass, silica, or porcelain tube, resistant to high temperatures, that is a component of a combustion train.

The second secon

- combustion wave 1. A zone of burning propagated through a combustible medium.
 The zoned, reacting, gaseous material formed when an explosive mixture is ignited.
- common-lon effect The lowering of the degree of ionization of a compound when another ionizable compound is added to a solution; the compound added has a common ion with the other compound.
- common salt See halite; sodium chloride.
- comonomer One of the compounds used to produce a specific polymeric product.
- comparator-densitometer Device that projects a labeled spectrum onto a screen adjacent to an enlarged image of the spectrum to be analyzed, allowing visual comparison.
- comparison spectrum A line spectrum whose wavelengths are accurately known, and which is matched with another spectrum to determine the wavelengths of the latter.
- competing equilibria condition The competition for a reactant in a complex chemical system in which several reactions are taking place at the same time.
- complete combustion Combustion in which the entire quantity of oxidizable constituents of a fuel is reacted.
- complexation See complexing.
- complex chemical reaction A chemical system in which a number of chemical reactions take place simultaneously, including reversible reactions, consecutive reactions, and concurrent or side reactions.
- complex compound Any of a group of chemical compounds in which a part of the molecular bonding is of the coordinate type.
- complexing Formation of a complex compound. Also known as complexation.
- complexing agent A substance capable of forming a complex compound with another material in solution.
- complex ion A complex, electrically charged group of atoms or radical, for example, Cu(NH₂)₀²⁺.
- complexometric titration A technique of volumetric analysis in which the formation of a colored complex is used to indicate the end point of a titration. Also known as chelatometry.

- **consolute** Of or pertaining to liquids that are perfectly miscible in all proportions under certain conditions.
- constant-current electrolysis Electrolysis in which a constant current flows through the cell; used in electrodeposition analysis.
- constant-potential electrolysis Electrolysis in which a constant voltage is applied to the cell; used in electrodeposition analysis.
- constant series See displacement series.
- constitutional isomers Isomers which differ in the manner in which their atoms are linked.
- constitutive property Any physical or chemical property that depends on the constitution or structure of the molecule.
- contact acid Sulfuric acid produced by the contact process.
- contemporary carbon The isotopic carbon content of living matter, based on the assumption of a natural proportion of carbon-14.
- continuous spectrum A radiation spectrum which is continuously distributed over a frequency region without being broken up into lines or bands.
- continuous titrator A titrator so equipped that a reservoir refills the buret.
- convergence pressure The pressure at which the different constant-temperature K (liquid-vapor equilibrium) factors for each member of a two-component system converge to unity.
- conversion Nuclear transformation of a fertile substance into a fissile substance.
- conversion Change of a compound from one isomeric form to another.
- conversion coefficient Also known as conversion fraction; internal conversion coefficient. 1. The ratio of the number of conversion electrons emitted per unit time to the number of photons emitted per unit time in the de-excitation of a nucleus between two given states. 2. In older literature, the ratio of the number of conversion electrons emitted per unit time to the number of conversion electrons plus the number of photons emitted per unit time in the de-excitation of a nucleus between two given states.
- conversion electron An electron which receives energy directly from a nucleus in an internal conversion process and is thereby expelled from the atom.
- conversion fraction See conversion coefficient.
- cool flame A faint, luminous phenomenon observed when, for example, a mixture of ether vapor and oxygen is slowly heated; it proceeds by diffusion of reactive molecules which initiate chemical processes as they go.
- coordinate bond See coordinate valence; dative bond.
- coordinated complex See coordination compound.
- coordinate valence A chemical bond between two atoms in which a shared pair of electrons forms the bond and the pair has been supplied by one of the two atoms. Also known as coordinate bond.
- **coordination chemistry** The chemistry of metal ions in their interactions with other molecules or ions.
- coordination compound A compound with a central atom or ion and a group of ions or molecules surrounding it. Also known as coordinated complex; Werner complex.
- coordination polygon The symmetrical polygonal chemical structure of simple polyatomic aggregates having coordination numbers of 4 or less.

Webster's Third New International Dictionary

OF THE ENGLISH LANGUAGE
UNABRIDGED

a Merriam-Webster

VOLUME III

S to Z

and Britannica World Language Dictionary



ENCYCLOPÆDIA BRITANNICA, INC.

Chicago Auckland, Geneva, London, Manila, Paris, Rome Seoul, Sydney, Tokyo, Toronto

roup of unspecified persons on long triter is not a member, esp : such in the long of the substand: THERE I (~'s musi-rd and the jay —J. W. Riley) sight —Helen Eustis). master . . I'll not work for o

over in the corner,-

n or regarded as in place of carl ene group — CH₂— (thiacyclobase

achroman)
zon\ n -s [tht- + acet- + c
v crystalline tuberculostatic mido-benzaldehyde thioser

tomponide C.H.N.S. contangua-tom anomal was aftered nome and the contained of any of these is the contained of any of these is the contained of any of the contained of the compound C.H.C.H.S.C.H.C.H. of any of the contained o + dlazole]: any of four pounds C₂H₂N₂S contain

and that is used in nutrition, and breadly, and in enriching flour and breadly, unline deficiency — called also, aso; the cation [CuHirN-08] aso; the cation [CuHirN-08] ononitrate is used similarly to the complete of the cation of the catio

inalithen, + -apith\ n = lither italian heterocyclic compound cills that of naphthalens and is locally beazothiophene in shint\ n, usu cap T & 10 27722 prints main chain in central Asia! succession T & let S : 120 the Ten Short

aral and the American wapur and health a street of the parent compound C₁ H₂S₁ that it parent compound C₂ H₃S₁ that it parent compound C₂ H₃S₂ that it is the parent compound to which the two middle methylates and that it most all the parent is the parent compound to the parent co ther ways of freshwatching to [NL]: a genus of freshwatching to family Thinridae and that include are intermediate hosts of the control of th the Tien Shan mountains of warming and the American wapid and the American wapid and the trent of the trent o

n pl. cap [NL, fr. Thlara, ype graund world operculate freshwater as a see hua, samisuccospan, sand n -s (irreg. fr. thi-1; sand

nds Chaise their derivatives and of four carbon atoms on the derivatives and of four carbon atoms derivatives and the same of various definitions and the same of various definitions and the same of the same of

ISV this has an

of pyridine and that ure to exazole with oxygen — compare gen — compare 2: any of various r benzothiazole

> JOHNUL.
>
> Reported were as thieves for months 8: exceeding gifth two were as thieves for months 0: exceeding gifth two were were lifted propriety or fitness: past toleration or endurance usive, gerna.vo.o.v.; exreased, grocs (called it a bit ~ to \$200, grant, vo.o.v.) syn (found his flattery on ~) syn (fou

many with a strong that the most light was a strong to the strong that the most lilly occupied part; the densest concentration of the strong that the most lilly occupied part; the densest concentration of the strong that t

Note: Adv. sal/ser [ME thicke, fr. OB thices; akin to OHG (Note), both fr. a prehistoric WGmc adv. fr. the root of fice; adj. — more at "rucks]; Tucksuk (misfortunes kick; adj. — more at "rucks]; Tucksuk (misfortunes kick) — often used in combination (thick-starred)

Chick-swarming)

Chick warming)

Chick warming)

Chick warming)

Chick warming)

Chick warming)

Chick warming)

Chick warming warming

billed parrot n: a parrot (Rhynchopsitta pachyrhyncha)
Thern Mexico and southwestern U.S. that is green

chinal (Jorda so called fr. the resemblance of the conting the chinal (Jorda so called fr. the resemblance of the conting this (Jorda so called fr. the resemblance of the conting this (Jorda so called fr. the resemblance of the conting the photor of the library fr. thikken, adj., thick + adj., t

rii -60.+V\ n -8 [fr. (assumed) ME thikket, thice, adj., thick] I is a dense and usu.cir. of shrubbery or small trees: coppete (~v) trites, and poison ivy —Nathaniel Burty and to a thicket for density or impenetral enviral of and morasses of supersition ost-written sources have built an impeneer truth—E.R. May).

id,"-did\\ adj : doited or covered with mg in thickets (~ hills)
di, |il\\ adj : |il\\ of hickets
(-1 a : whistler | b : a thick-knee
) of southern Africa, 2 : a stupid person

Printer's lead of 3 points thickness

lok shellbark n: BO'SHELLARK

lokskin \-*\-*\-ad\: THICK-SKUNED

lokskin \-*\-*\-ad\: THICK-SKUNED

lokskin he \-*\-ad\: THICK-SKUNED

loks-skinned \-*\-*\-ad\: THICK-SKUNED

loks-skinned \-*\-*\-ad\: THICK-SKUNED

loks-skinned \-*\-ak\-ad\: THICK-SKUNED

loks-skinned \-*\-ad\: THICK-SKUNED

loks-skinned \-\-ad\: THICK-SKUNED

this ant n: any of several minute ants (esp. Solenopsis molesta) that nest near the galleries of other ants from which they steal food

lef.dom \'thēſdəm, -ftəm\ or thieves om \-ēvdəm\ n -s

me thieve \tau theve \tau \tau theve \tau th

micans of their means of the me

small tapering cup with a projecting arm used as a support for phres during firing in a kiln 1; a thimble-shaped cup or shell (as of filter paper or fritted glass) for containing material to be extracted by solvents esp in chemical analysis (extraction or a structed by solvents esp in chemical analysis (extraction 2) 3; runsalzeru 4 a; a foxglove (Digitalis purpurea) b thimbles pl: HAREBELL 1

thimbles per it avanter trimute and it is thimbles per it avanter trimute and it is the most per it avanter trimute and it is the per and per it avanter trimute and it is the per and per and